

Hydric Soils List

FIELD OFFICE TECHNICAL GUIDE Sec. II
HYDRIC SOIL INTERPRETATIONS

Page County, Iowa

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				Acres
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria	
8B: JUDSON SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES	JUDSON	No	---	---	---	---	---	6,156
	KENNEBEC	No	---	---	---	---	---	342
	OLMITZ	No	---	---	---	---	---	342
9B: MARSHALL SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES	MARSHALL	No	---	---	---	---	---	17,767
9B2: MARSHALL SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	MARSHALL	No	---	---	---	---	---	1,487
9C: MARSHALL SILTY CLAY LOAM, 5 TO 9 PERCENT SLOPES	MARSHALL	No	---	---	---	---	---	3,820
	NORTHBORO	No	---	---	---	---	---	201
9C2: MARSHALL SILTY CLAY LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	MARSHALL	No	---	---	---	---	---	3,019
	NORTHBORO	No	---	---	---	---	---	159
11B: COLO-JUDSON SILTY CLAY LOAMS, 2 TO 5 PERCENT SLOPES	COLO	Yes	flood plain	2B3	YES	NO	NO	39,120
	JUDSON	No	---	---	---	---	---	21,065
24D: SHELBY CLAY LOAM, 9 TO 14 PERCENT SLOPES	SHELBY	No	---	---	---	---	---	7,288
	ADAIR	No	---	---	---	---	---	405
	GARA	No	---	---	---	---	---	405
24D2: SHELBY CLAY LOAM, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	SHELBY	No	---	---	---	---	---	7,749
24E: SHELBY CLAY LOAM, 14 TO 18 PERCENT SLOPES	SHELBY	No	---	---	---	---	---	1,677
	GARA	No	---	---	---	---	---	88
24E2: SHELBY CLAY LOAM, 14 TO 18 PERCENT SLOPES, MODERATELY ERODED	SHELBY	No	---	---	---	---	---	1,088

Hydric Soils List

FIELD OFFICE TECHNICAL GUIDE Sec. II
HYDRIC SOIL INTERPRETATIONS

Page County, Iowa

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				Acres
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria	
24F2: SHELBY CLAY LOAM, 18 TO 25 PERCENT SLOPES, MODERATELY ERODED	SHELBY	No	---	---	---	---	---	370
41D: SPARTA LOAMY FINE SAND, 5 TO 14 PERCENT SLOPES	SPARTA	No	---	---	---	---	---	216
	LADOGA	No	---	---	---	---	---	12
	SHARPSBURG	No	---	---	---	---	---	12
43: BREMER SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	BREMER	Yes	terrace	2B3	YES	NO	NO	982
	COLO	Yes	flood plain	2B3	YES	NO	NO	58
	WABASH	Yes	flood plain	2B3,3	YES	NO	YES	58
	ZOOK	Yes	flood plain	2B3	YES	NO	NO	58
54: ZOOK SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	ZOOK	Yes	flood plain	2B3	YES	NO	NO	4,535
	COLO	Yes	flood plain	2B3	YES	NO	NO	252
	WABASH	Yes	flood plain	3,2B3	YES	NO	YES	252
54+: ZOOK SILT LOAM, OVERWASH, 0 TO 2 PERCENT SLOPES	ZOOK	Yes	flood plain	2B3	YES	NO	NO	571
76B: LADOGA SILT LOAM, 2 TO 5 PERCENT SLOPES	LADOGA	No	---	---	---	---	---	423
	MARSHALL	No	---	---	---	---	---	24
	SHARPSBURG	No	---	---	---	---	---	24
76C: LADOGA SILT LOAM, 5 TO 9 PERCENT SLOPES	LADOGA	No	---	---	---	---	---	536
	MARSHALL	No	---	---	---	---	---	30
	SHARPSBURG	No	---	---	---	---	---	30
76C2: LADOGA SILT LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	LADOGA	No	---	---	---	---	---	634
	MARSHALL	No	---	---	---	---	---	35
	SHARPSBURG	No	---	---	---	---	---	35

Hydric Soils List

FIELD OFFICE TECHNICAL GUIDE Sec. II
HYDRIC SOIL INTERPRETATIONS

Page County, Iowa

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				Acres
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria	
76D: LADOGA SILT LOAM, 9 TO 14 PERCENT SLOPES	LADOGA	No	---	---	---	---	---	817
	MARSHALL	No	---	---	---	---	---	45
	SHARPSBURG	No	---	---	---	---	---	45
76D2: LADOGA SILT LOAM, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	LADOGA	No	---	---	---	---	---	1,375
	MARSHALL	No	---	---	---	---	---	76
	SHARPSBURG	No	---	---	---	---	---	76
88: NEVIN SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	NEVIN	No	---	---	---	---	---	2,823
	BREMER	Yes	terrace	2B3	YES	NO	NO	149
93D: SHELBY-ADAIR CLAY LOAMS, 9 TO 14 PERCENT SLOPES	SHELBY	No	---	---	---	---	---	475
	ADAIR	No	---	---	---	---	---	380
	MAYBERRY	No	---	---	---	---	---	48
	NORTHBORO	No	---	---	---	---	---	48
93D2: SHELBY-ADAIR CLAY LOAMS, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	SHELBY	No	---	---	---	---	---	820
	ADAIR	No	---	---	---	---	---	656
	MAYBERRY	No	---	---	---	---	---	82
	NORTHBORO	No	---	---	---	---	---	82
93E2: SHELBY-ADAIR CLAY LOAMS, 14 TO 18 PERCENT SLOPES, MODERATELY ERODED	SHELBY	No	---	---	---	---	---	130
	ADAIR	No	---	---	---	---	---	104
	MAYBERRY	No	---	---	---	---	---	13
	NORTHBORO	No	---	---	---	---	---	13
99C: MARSHALL SILTY CLAY LOAM, MOTTLED SUBSOIL, 5 TO 9 PERCENT SLOPE	MARSHALL	No	---	---	---	---	---	3,377
	NORTHBORO	No	---	---	---	---	---	178

Hydric Soils List

FIELD OFFICE TECHNICAL GUIDE Sec. II
HYDRIC SOIL INTERPRETATIONS

Page County, Iowa

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				Acres
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria	
99C2: MARSHALL SILTY CLAY LOAM, MOTTLED SUBSOIL, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	MARSHALL	No	---	---	---	---	---	8,539
	NORTHBORO	No	---	---	---	---	---	449
99D: MARSHALL SILTY CLAY LOAM, MOTTLED SUBSOIL, 9 TO 14 PERCENT SLOPES	MARSHALL	No	---	---	---	---	---	8,374
	ADAIR	No	---	---	---	---	---	465
	SHELBY	No	---	---	---	---	---	465
99D2: MARSHALL SILTY CLAY LOAM, MOTTLED SUBSOIL, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	MARSHALL	No	---	---	---	---	---	26,553
	ADAIR	No	---	---	---	---	---	1,475
	SHELBY	No	---	---	---	---	---	1,475
133: COLO SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	COLO	Yes	flood plain	2B3	YES	NO	NO	6,734
	KENNEBEC	No	---	---	---	---	---	396
	WABASH	Yes	flood plain	2B3,3	YES	NO	YES	396
	ZOOK	Yes	flood plain	2B3	YES	NO	NO	396
133+: COLO SILT LOAM, OVERWASH, 0 TO 2 PERCENT SLOPES	COLO	Yes	flood plain	2B3	YES	NO	NO	3,854
	KENNEBEC	No	---	---	---	---	---	227
	WABASH	Yes	flood plain	2B3,3	YES	NO	YES	227
	ZOOK	Yes	flood plain	2B3	YES	NO	NO	227
172: WABASH SILTY CLAY, 0 TO 2 PERCENT SLOPES	WABASH	Yes	flood plain	3,2B3	YES	NO	YES	2,041
	ZOOK	Yes	flood plain	2B3	YES	NO	NO	107
179D: GARA LOAM, 9 TO 14 PERCENT SLOPES	GARA	No	---	---	---	---	---	1,365
	SHELBY	No	---	---	---	---	---	72

Hydric Soils List

FIELD OFFICE TECHNICAL GUIDE Sec. II
HYDRIC SOIL INTERPRETATIONS

Page County, Iowa

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				Acres
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria	
179D2: GARA LOAM, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	GARA	No	---	---	---	---	---	1,453
	SHELBY	No	---	---	---	---	---	76
179E2: GARA LOAM, 14 TO 18 PERCENT SLOPES, MODERATELY ERODED	GARA	No	---	---	---	---	---	1,409
	SHELBY	No	---	---	---	---	---	74
179F2: GARA LOAM, 18 TO 25 PERCENT SLOPES, MODERATELY ERODED	GARA	No	---	---	---	---	---	1,161
	SHELBY	No	---	---	---	---	---	61
179G2: GARA LOAM, 25 TO 40 PERCENT SLOPES, MODERATELY ERODED	GARA	No	---	---	---	---	---	729
	SHELBY	No	---	---	---	---	---	38
192C: ADAIR CLAY LOAM, 5 TO 9 PERCENT SLOPES	ADAIR	No	---	---	---	---	---	491
	MAYBERRY	No	---	---	---	---	---	27
	SHELBY	No	---	---	---	---	---	27
192C2: ADAIR CLAY LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	ADAIR	No	---	---	---	---	---	792
	MAYBERRY	No	---	---	---	---	---	44
	SHELBY	No	---	---	---	---	---	44
192D: ADAIR CLAY LOAM, 9 TO 14 PERCENT SLOPES	ADAIR	No	---	---	---	---	---	6,989
192D2: ADAIR CLAY LOAM, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	ADAIR	No	---	---	---	---	---	10,652
	MAYBERRY	No	---	---	---	---	---	592
	SHELBY	No	---	---	---	---	---	592
212: KENNEBEC SILT LOAM, 0 TO 2 PERCENT SLOPES	KENNEBEC	No	---	---	---	---	---	9,432
	COLO	Yes	flood plain	2B3	YES	NO	NO	555
	JUDSON	No	---	---	---	---	---	555

Hydric Soils List

FIELD OFFICE TECHNICAL GUIDE Sec. II
HYDRIC SOIL INTERPRETATIONS

Page County, Iowa

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				Acres
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria	
220: NODAWAY SILT LOAM, 0 TO 2 PERCENT SLOPES	NODAWAY	No	---	---	---	---	---	555
	NODAWAY	No	---	---	---	---	---	8,384
	KENNEBEC	No	---	---	---	---	---	493
	OTHER	Yes	flood plain	2B3	YES	NO	NO	493
	SANDY ALLUVIAL LAND	No	---	---	---	---	---	493
248: WABASH SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES	WABASH	Yes	flood plain	2B3,3	YES	NO	YES	3,438
248+: WABASH SILT LOAM, OVERWASH, 0 TO 1 PERCENT SLOPES	ZOOK	Yes	flood plain	2B3	YES	NO	NO	181
	WABASH	Yes	flood plain	2B3,3,4	YES	YES	YES	830
	ZOOK	Yes	flood plain	2B3	YES	NO	NO	44
273B: OLMITZ LOAM, 2 TO 5 PERCENT SLOPES	OLMITZ	No	---	---	---	---	---	523
273C: OLMITZ LOAM, 5 TO 9 PERCENT SLOPES	JUDSON	No	---	---	---	---	---	28
	OLMITZ	No	---	---	---	---	---	371
	JUDSON	No	---	---	---	---	---	20
370: SHARPSBURG SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	SHARPSBURG	No	---	---	---	---	---	263
370B: SHARPSBURG SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES	SHARPSBURG	No	---	---	---	---	---	15,330
370B2: SHARPSBURG SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	SHARPSBURG	No	---	---	---	---	---	1,520
370C: SHARPSBURG SILTY CLAY LOAM, 5 TO 9 PERCENT SLOPES	SHARPSBURG	No	---	---	---	---	---	11,489

Hydric Soils List

FIELD OFFICE TECHNICAL GUIDE Sec. II
HYDRIC SOIL INTERPRETATIONS

Page County, Iowa

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				Acres
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria	
370C2: SHARPSBURG SILTY CLAY LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	SHARPSBURG	No	---	---	---	---	---	10,663
370D: SHARPSBURG SILTY CLAY LOAM, 9 TO 14 PERCENT SLOPES	SHARPSBURG	No	---	---	---	---	---	12,892
370D2: SHARPSBURG SILTY CLAY LOAM, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	SHARPSBURG	No	---	---	---	---	---	23,215
692C2: MAYBERRY CLAY LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	MAYBERRY	No	---	---	---	---	---	477
	ADAIR	No	---	---	---	---	---	26
	CLAYEY SUBSOIL	No	---	---	---	---	---	26
692D: MAYBERRY CLAY LOAM, 9 TO 14 PERCENT SLOPES	MAYBERRY	No	---	---	---	---	---	877
	ADAIR	No	---	---	---	---	---	49
	CLAYEY SUBSOIL	No	---	---	---	---	---	49
692D2: MAYBERRY CLAY LOAM, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	MAYBERRY	No	---	---	---	---	---	2,029
	ADAIR	No	---	---	---	---	---	113
	CLAYEY SUBSOIL	No	---	---	---	---	---	113
715: ALLUVIAL LAND, SANDY	ALLUVIAL LAND	No	---	---	---	---	---	208
	OTHER	Yes	oxbow	2B3	YES	NO	NO	12
	OTHER	Yes	flood plain	4	NO	YES	NO	12
751C: NORTHBORO SILT LOAM, 5 TO 9 PERCENT SLOPES	NORTHBORO	No	---	---	---	---	---	367
	MARSHALL	No	---	---	---	---	---	20
	SHARPSBURG	No	---	---	---	---	---	20
751C2: NORTHBORO SILT LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	NORTHBORO	No	---	---	---	---	---	464

Hydric Soils List

FIELD OFFICE TECHNICAL GUIDE Sec. II
HYDRIC SOIL INTERPRETATIONS

Page County, Iowa

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				Acres
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria	
751D: NORTHBORO SILT LOAM, 9 TO 14 PERCENT SLOPES	MARSHALL	No	---	---	---	---	---	26
	SHARPSBURG	No	---	---	---	---	---	26
	NORTHBORO	No	---	---	---	---	---	481
	MARSHALL	No	---	---	---	---	---	27
	SHARPSBURG	No	---	---	---	---	---	27
751D2: NORTHBORO SILTY CLAY LOAM, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	NORTHBORO	No	---	---	---	---	---	764
	MARSHALL	No	---	---	---	---	---	42
	SHARPSBURG	No	---	---	---	---	---	42
	MARSHALL	No	---	---	---	---	---	809
	MINDEN	No	---	---	---	---	---	43
T9B: MARSHALL SILTY CLAY LOAM, 2 TO 5 PERCENT COMPLEX SLOPES	MARSHALL	No	---	---	---	---	---	912
	MINDEN	No	---	---	---	---	---	48
	MINDEN	No	---	---	---	---	---	559
T299: MINDEN SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	OTHER	Yes	depression	2B3	YES	NO	NO	29
	MACKSBURG	No	---	---	---	---	---	1,521
	OTHER	Yes	depression	2B3	YES	NO	NO	84
	SHARPSBURG	No	---	---	---	---	---	84
T369: WINTERSET SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	WINTERSET	Yes	depression	2B3	YES	NO	NO	3,016
	DEPRESSIONS	Yes	---	3,2B3	YES	NO	YES	168
	MACKSBURG	No	---	---	---	---	---	168

Hydric Soils List

FIELD OFFICE TECHNICAL GUIDE Sec. II
HYDRIC SOIL INTERPRETATIONS

Page County, Iowa

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				Acres
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria	
T370B: SHARPSBURG SILTY CLAY LOAM, 2 TO 5 PERCENT COMPLEX SLOPES	SHARPSBURG	No	---	---	---	---	---	3,398
T370C: SHARPSBURG SILTY CLAY LOAM, 5 TO 9 PERCENT COMPLEX SLOPES	SHARPSBURG	No	---	---	---	---	---	575